


JDB-2 自润滑直套轴承标准公制尺寸 JDB-2 Self-lubricating Straight Bearings Standard Metric Size

单位Unit: mm²

d	D	dF7	Dm6	L _L -0.10 -0.30												
				30	35	40	50	60	70	80	100	120	130	140	150	
50	62	50	62	506230	506235	506240	506250	506260	506270							
50	65	50 ^{+0.050} _{+0.025}	65	506530	506535	506540	506550	506560	506570	506580	5065100					
55	70	55	70	557030	557035	557040	557050	557060	557070	557080	5570100					
60	74	60	75 ^{+0.030} _{+0.011}	607430	607435	607440	607450	607460	607470	607480	6074100					
60	75	60	75	607530	607535	607540	607550	607560	607570	607580	6075100					
63	75	63	75		637535	637540	637550	637560	637570	637580	6375100					
65	80	65	80		658035	658040	658050	658060	658070	658080	6580100					
70	85	70 ^{+0.060} _{+0.030}	85		708535	708540	708550	708560	708570	708580	7085100					
70	90	70	90		709035	709040	709050	709060	709070	709080	7090100					
75	90	75	90			759040	759050	759060	759070	759080	7590100					
75	95	75	95			759540	759550	759560	759570	759580	7595100	7595120				
80	96	80 ^{+0.035} _{+0.013}	96			809640	809650	809660	809670	809680	8096100	8096120	8096130			
80	100	80	100			8010040	8010050	8010060	8010070	8010080	80100100	80100120	80100130	80100140		
90	110	90	110				9011050	9011060	9011070	9011080	90110100	90110120	90110130	90110140		
100	120	100 ^{+0.071} _{+0.036}	120					10012060	10012070	10012080	100120100	100120120	100120130	100120140		
110	130	110	130							11013080	110130100	110130120	110130130	110130140		
120	140	120	140							12014080	120140100	120140120	120140130	120140140		
125	145	125	145								125145100	125145120	125145130	125145140		
130	150	130	150 ^{+0.040} _{+0.015}								130150100	130150120	130150130	130150140	130150150	
140	160	140 ^{+0.083} _{+0.043}	160								140160100	140160120	140160130	140160140	140160150	
150	170	150	170								150170100	150170120	150170130	150170140	150170150	
160	180	160	180								160180100	160180120	160180130	160180140	160180150	


JFB 自润滑翻边轴承标准公制尺寸 JFB Self-lubricating Flange Bearings Standard Metric Size



单位Unit: mm²

d	D	dE7	Dr6	F	L ₁	L ^{-0.10} _{-0.30}														
						15	20	25	30	35	40	50	60	80	100					
10	14	10	14	22	2	1015	1020													
12	18	12	18	25		1215	1220													
13	19	13	19	26		1315	1320													
14	20	14	20	27	3	1415	1420	1425												
15	21	15	21	28		1515	1520	1525	1530											
16	22	16	22	29		1615	1620	1625	1630											
20	30	20	30	40			2020	2025	2030	2035										
25	35	25	35	45			2520	2525	2530	2535	2540									
30	40	30	40	50			3020	3025	3030	3035	3040	3050								
35	45	35	45	60				3525	3530	3535	3540	3550								
40	50	40	50	65	5				4030	4035	4040	4050								
45	55	45	55	70					4530	4535	4540	4550	4560							
50	60	50	60	75						5035	5040	5050	5060							
55	65	55	65	80							5540	5550	5560							
60	75	60	75	90							6040	6050	6060	6080						
70	85	70	85	105	7.5							7050	7060	7080						
75	90	75	90	110									7550	7560	7580	75100				
80	100	80	100	120											8060	8080	80100			
90	110	90	110	130											9060	9080	90100			
100	120	100	120	150	10										10060	10080	100100			
120	140	120	140	170											12060	12080	120100			


JTW 自润滑止推垫片标准公制尺寸
JTW Self-lubricating Thrust Washer Standard Metric Size



单位Unit: mm²

型号规格 Standard No.	φ d	φ D	T	螺孔 Bolt Hole			
				φ D ₁	平头螺钉 Crop Bolt	φ d ₁	孔数 Bore Number
JDB-JTW-10	10.2	30	3	20	M3	3.5	2
JDB-JTW-12	12.2	40	"	28	"	"	"
JDB-JTW-13	13.2	"	"	"	"	"	"
JDB-JTW-14	14.2	"	"	"	"	"	"
JDB-JTW-15	15.2	50	"	35	"	"	"
JDB-JTW-16	16.2	"	"	"	"	"	"
JDB-JTW-18	18.2	"	"	"	"	"	"
JDB-JTW-20	20.2	"	5	"	M5	6	"
JDB-JTW-25	25.2	55	"	40	"	"	"
JDB-JTW-30	30.2	60	"	45	"	"	"
JDB-JTW-35	35.2	70	"	50	M6	7	"
JDB-JTW-40	40.2	80	7	60	"	"	"
JDB-JTW-45	45.3	90	"	70	"	"	"
JDB-JTW-50	50.3	100	8	75	"	"	4
JDB-JTW-55	55.3	110	"	85	"	"	"
JDB-JTW-60	60.3	120	"	90	M8	9	"
JDB-JTW-65	65.3	125	"	95	"	"	"
JDB-JTW-70	70.3	130	10	100	"	"	"
JDB-JTW-75	75.3	140	"	110	"	"	"
JDB-JTW-80	80.3	150	"	120	"	"	"
JDB-JTW-90	90.5	170	"	140	M10	11	"
JDB-JTW-100	100.5	190	"	160	"	"	"
JDB-JTW-120	120.5	200	"	175	"	"	"


JFBB 自润滑翻边轴套标准公制尺寸 JFBB Self-lubricant Flange Bushings Standard Metric Size



单位Unit:mm²

型号规格 Standard No.	ϕ d E7	ϕ D r6	ϕ A	L1	L
JDB-JFBB-12 × 15	12 +0.050 +0.032	18	25 +0.034 +0.023	11	15
JDB-JFBB-16 × 20	16	22	30 +0.041 +0.028	15	20
JDB-JFBB-20 × 25	20 +0.061 +0.040	28	36	20	25
JDB-JFBB-25 × 30	25	33	43 +0.050 +0.034	25	30
JDB-JFBB-30 × 35	30 +0.075 +0.050	38	48	30	35
JDB-JFBB-40 × 45	40	50	60	40	45
JDB-JFBB-50 × 55	50	62	75 +0.060 +0.041	49	55
JDB-JFBB-60 × 65	60 +0.090 +0.060	74	90 +0.062 +0.043	58	65


JESW 自润滑板
JESW Oilless Wear Plate



型号规格 Standard No.	W	L	W ₁	W ₂	L ₁	L ₂
JESW-28 × 75	28	75	-	-	45	15
JESW-28 × 100	"	100	"	"	50	25
JESW-28 × 150	"	150	"	"	100	"
JESW-38 × 75	38	75	"	"	45	15
JESW-38 × 100	"	100	"	"	50	25
JESW-38 × 150	"	150	"	"	100	"
JESW-48 × 75	48	75	"	"	45	15
JESW-48 × 100	"	100	"	"	50	25
JESW-48 × 125	"	125	"	"	75	"
JESW-48 × 150	"	150	"	"	100	"
JESW-48 × 200	"	200	"	"	150	"
JESW-58 × 75	58	75	"	"	45	15
JESW-58 × 100	"	100	"	"	50	25
JESW-58 × 150	"	150	"	"	100	"
JESW-75 × 75	75	75	"	"	25	"
JESW-75 × 100	"	100	"	"	50	"
JESW-75 × 125	"	125	"	"	75	"
JESW-75 × 150	"	150	"	"	100	"
JESW-75 × 200	"	200	"	"	150	"

型号规格 Standard No.	W	L	W ₁	W ₂	L ₁	L ₂
JESW-100 × 100	100	100	50	25	50	25
JESW-100 × 125	"	125	"	"	75	"
JESW-100 × 150	"	150	"	"	100	"
JESW-100 × 200	"	200	"	"	150	"
JESW-100 × 250	"	250	"	"	200	"
JESW-100 × 300	"	300	"	"	"	50
JESW-125 × 125	125	125	"	37.5	75	25
JESW-125 × 150	"	150	"	"	100	"
JESW-125 × 200	"	200	"	"	150	"
JESW-125 × 250	"	250	"	"	200	"
JESW-125 × 300	"	300	"	"	"	50
JESW-125 × 350	"	350	"	"	"	75
JESW-150 × 150	150	150	100	25	100	25
JESW-150 × 200	"	200	"	"	150	"
JESW-150 × 250	"	250	"	"	200	"


JESW 自润滑板标准公制尺寸
JESW Self-lubricant Oilless Wear Plate Standard Metric Size



Sliding directions

运动方向

W=28·38 W≥48




Material	650# + Graphite
材质	高力黄铜 + 石墨

型号规格 Standard No.	W	L	W ₁	W ₂	L ₁	L ₂
JESW-28 × 75	28	75	-	-	45	15
JESW-28 × 100	"	100	"	"	50	25
JESW-28 × 150	"	150	"	"	100	"
JESW-38 × 75	38	75	"	"	45	15
JESW-38 × 100	"	100	"	"	50	25
JESW-38 × 150	"	150	"	"	100	"
JESW-48 × 75	48	75	"	"	45	15
JESW-48 × 100	"	100	"	"	50	25
JESW-48 × 125	"	125	"	"	75	"
JESW-48 × 150	"	150	"	"	100	"
JESW-48 × 200	"	200	"	"	150	"
JESW-58 × 75	58	75	"	"	45	15
JESW-58 × 100	"	100	"	"	50	25
JESW-58 × 150	"	150	"	"	100	"
JESW-75 × 75	75	75	"	"	25	"
JESW-75 × 100	"	100	"	"	50	"
JESW-75 × 125	"	125	"	"	75	"
JESW-75 × 150	"	150	"	"	100	"
JESW-75 × 200	"	200	"	"	150	"

型号规格 Standard No.	W	L	W ₁	W ₂	L ₁	L ₂
JESW-100 × 100	100	100	50	25	50	25
JESW-100 × 125	"	125	"	"	75	"
JESW-100 × 150	"	150	"	"	100	"
JESW-100 × 200	"	200	"	"	150	"
JESW-100 × 250	"	250	"	"	200	"
JESW-100 × 300	"	300	"	"	"	50
JESW-125 × 125	125	125	"	37.5	75	25
JESW-125 × 150	"	150	"	"	100	"
JESW-125 × 200	"	200	"	"	150	"
JESW-125 × 250	"	250	"	"	200	"
JESW-125 × 300	"	300	"	"	"	50
JESW-125 × 350	"	350	"	"	"	75
JESW-150 × 150	150	150	100	25	100	25
JESW-150 × 200	"	200	"	"	150	"
JESW-150 × 250	"	250	"	"	200	"

JSP 滑板标准公制尺寸
JSP Wear Plate Standard Metric Size



单位Unit: mm²

型号规格 Standard No.	W	L	螺孔 Bolt Hole				螺孔 Size	数量 Q'ty	图示 Sketch
			a	b	c	d			
JDB-JSP-20 × 100	20	100	60	—	—	—	M8	2	A
JDB-JSP-20 × 150		150	55	55	—	—		3	
JDB-JSP-20 × 200		200	55	50	55	—		4	
JDB-JSP-30 × 100	30	100	60	—	—	—	M10	2	B
JDB-JSP-30 × 150		150	55	55	—	—		3	
JDB-JSP-30 × 200		200	55	50	55	—		4	
JDB-JSP-30 × 250		250	70	70	70	—		4	
JDB-JSP-45 × 200	45	200	55	50	55	—		4	C
JDB-JSP-45 × 250		250	70	70	70	—		4	
JDB-JSP-45 × 300		300	65	65	65	65		5	
JDB-JSP-45 × 350		350	80	75	75	80		5	